20mm

OUTDOOR PORCELAIN

LAVISH® CERAMICS

www.lavishceramics.com

LAVISH®
CERAMICS

TURNING SPACES INTO SUCCESS STORIES **SINCE 1999**

At Lavish, we combine innovation, craftsmanship, and strict quality standards to produce exceptional ceramic tiles. Recognized globally and backed by certifications like ISO 9001:2015, ISO 14025:2006, CE, and UK CA, we've become a trusted name in over 80 countries. Our unique designs and dedication to perfection set us apart as true artisans in the tile industry.

BUILT ON THE FOUNDATION OF



WALL & FLOOR TILES

Craftsmanship is also at the heart of our brand! In a way, we don't consider ourselves manufacturers but we see ourselves as a team of skilled artisans who take great care in crafting beautiful surfaces that are unmatched, unparalleled, and unrivaled! The uniqueness of our product is reflected in our designs, colors, sizes, and finishes which are exclusive to us and different by all means! In short, "We are a breath of fresh air in a sea of sameness"!

Glazed Porcelain Tiles
30x60 I 60x60 | 80x80
60x120 I 80x160 | 100x100
120x120 I 120x180cm

Wooden Tiles
10x60 I 20x120 I 30x120
20x160 I 26x160cm

Architectural Surfaces
30x120cm

Double Charged Tiles
60x60 I 60x120cm

Fullbody
60x60 I 60x120cm

Outdoor Tiles
30x30 I 30x60 I 60x60 I 60x90
60x120 I 20x120 I 30x120cm

Ceramic Wall Tiles
25x40 I 30x60cm
Subway Tiles

Thickness
07mm I 08mm I 09mm
12mm I 15mm I 20mm

Enjoy the durability
and beauty of
20MM
outdoor surfaces.



LAVISH CERAMICS

20mm OUTDOOR PORCELAIN

Lavish Ceramics "20 mm outdoor collection" is curated for creating excellent outdoor areas. Drawing inspiration from the beauty of nature - these sturdy outdoor tiles can make any exterior space stand out! Whether you're beautifying a garden, a balcony or going for a high-end paving design, our durable 20mm outdoor collection offers unique style and top-notch technical features. This outdoor range is crafted uniquely, keeping up with the latest trends and mimicking the appearance and texture of desirable natural materials. They add a touch of lavishness and long-lasting sophistication to your outdoor landscapes.



LAYING SOLUTIONS

Our 20 mm outdoor porcelain collection provides a highly versatile and innovative solution, offering a multitude of laying options. These include dry installation on grass, gravel, or sand, as well as screed with adhesive or elevated floor installation.

Dry Installation On Grass



Installation On Screed With Adhesive



Dry Installation On Gravel / Sand



Elevated Floor Installation



Adjustable Support

CAUTION

When carrying out an elevated floor installation it is recommended to check the intended use and to follow the installation instructions.

- In the case of external dry installation, the force of the wind, in particular types of applications or geographical locations, can cause the lifting of the tiles.

It is recommended that the designer/client always check the suitability of the installation system selected according to local regulations in force. Failure to follow the above recommendations may result in misuse of the product and cause injury to persons and/or damage to property.

LAVISH® CERAMICS

Available Size in 20mm

Our 20 mm outdoor porcelain tile collection is available in four sizes: 60x120cm, 60x90cm and 60x60cm. The various size options provide flexibility in design, allowing you to create unique patterns and layouts that suit your personal style. Whether you prefer a larger format for modern and spacious look or smaller size for a more traditional and versatile design, our 20 mm outdoor porcelain tiles offer a reliable and stylish solution for your outdoor projects.



60x60cm 60x90cm 60x120cm

Available Body Colors in 20mm

Whether you prefer the boldness of black, the versatility of grey, or the elegance of ivory, our full-body outdoor tiles are an excellent choice for adding both beauty and functionality to your outdoor areas.



Ariel Crema

Available Sizes

60x60cm 60x90cm 60x120cm

Thickness

20mm

Surface

R11

Ariel

20mm OUTDOOR PORCELAIN



16 Faces

Bone Crema Grey Nero Silver Soft





Ariel Crema



Ariel Grey

Sarto Bianco

Available Sizes

60x60cm 60x90cm 60x120cm

Thickness

20mm

Surface

R11

Sarto

20mm OUTDOOR PORCELAIN



18 Faces

Bianco



Cotton



Choco



Natural





Sarto Natural



Sarto Bianco

Prestone Grey

Available Sizes

60x60cm 60x90cm 60x120cm

Thickness

20mm

Surface

R11

Prestone

20mm OUTDOOR PORCELAIN



Crema Grey Nero White





Prestone Crema



Prestone Grey

Colony Silver

Available Sizes

60x60cm 60x90cm 60x120cm

Thickness

20mm

Surface

R11

Colony

20mm OUTDOOR PORCELAIN



08 Faces

Beige Bianco Crema Silver Taupe





Colony Silver



Colony Beige

Rivertone Beige

Available Sizes

60x60cm 60x90cm 60x120cm

Thickness

20mm

Surface

R11

Rivertone

20mm OUTDOOR PORCELAIN



12 Faces

Beige



Grey



Silver





Rivertone Beige



Rivertone Grey

Parko Grey

Available Sizes

60x60cm 60x90cm 60x120cm

Thickness

20mm

Surface

R11

Parko

20mm OUTDOOR PORCELAIN



Grey



Sand



Smoke



Crema





Parko Crema



Parko Grey

Kamen Pearl

Available Sizes

60x60cm 60x90cm 60x120cm

Thickness

20mm

Surface

R11

Kamen

20mm OUTDOOR PORCELAIN



Antracita



Bianco



Crema



Grey



Pearl





Kamen Pearl



Kamen Grey

Komos Tan

Available Sizes

60x60cm 60x90cm 60x120cm

Thickness

20mm

Surface

R11

Komos

20mm OUTDOOR PORCELAIN



Coffee Silver Tan Soft White





Komos Soft



Komos Tan

Malaga Mud

Available Sizes

60x60cm 60x90cm 60x120cm

Thickness

20mm

Surface

R11

Malaga

20mm OUTDOOR PORCELAIN



Ash Grey Light Grey Mud Sand





Malaga Mud



Malaga Sand

Kandla Grey

Available Sizes

60x90cm

Thickness

20mm

Surface

R11

Kandla

20mm OUTDOOR PORCELAIN



Grey



Beige



Ant





Kandla Grey



Kandla Beige

Carlo Smoke

Available Sizes

60x60cm 60x90cm 60x120cm

Thickness

20mm

Surface

R11

Carlo

20mm OUTDOOR PORCELAIN



Crema



Grey



Ivory



Steel



Soft



Snow



Smoke





Carlo Smoke



Carlo Ivory

Brussels Bianco

Available Sizes

60x60cm 60x90cm 60x120cm

Thickness

20mm

Surface

R11

Brussels

20mm OUTDOOR PORCELAIN



10 Faces

Bianco



Nero





Brussels Bianco



Brussels Nero

Plano Beige

Available Sizes

60x60cm 60x90cm 60x120cm

Thickness

20mm

Surface

R11

Plano

20mm OUTDOOR PORCELAIN



10 Faces

Beige **Bianco** **Crema** **Smoke**





Plano Beige



Plano Smoke

Orion Ash

Available Sizes

60x60cm 60x90cm 60x120cm

Thickness

20mm

Surface

R11

Orion

20mm OUTDOOR PORCELAIN



08 Faces

Ash Crema Grey Silver Tan



Orion Ash

Orion Tan

Minot White

Available Sizes

60x60cm 60x90cm 60x120cm

Thickness

20mm

Surface

R11

Minot

20mm OUTDOOR PORCELAIN



20 Faces

Crema



Grey



Nero



White





Minot Grey



Minot White

Novato Grey

Available Sizes

60x60cm 60x90cm 60x120cm

Thickness

20mm

Surface

R11

Novato

20mm OUTDOOR PORCELAIN



14 Faces

Crema



Grey





Novato Crema



Novato Grey

Canela Natural

Available Sizes

60x60cm 60x90cm 60x120cm

Thickness

20mm

Surface

R11

Canela

20mm OUTDOOR PORCELAIN



10 Faces

Bianco



Grey



Natural





Canela Bianco



Canela Natural

Dimona Grey

Available Sizes

60x60cm 60x90cm 60x120cm

Thickness

20mm

Surface

R11

Dimona

20mm OUTDOOR PORCELAIN



Crema Grey Nero Silver





Dimona Grey



Dimona Crema

Town Crema

Available Sizes

60x60cm 60x90cm 60x120cm

Thickness

20mm

Surface

R11

Town

20mm OUTDOOR PORCELAIN



20 Faces

Crema Grey Nero Pearl Silver





Town Grey



Town Crema

Magna Pearl

Available Sizes

60x60cm 60x90cm 60x120cm

Thickness

20mm

Surface

R11

Magna

20mm OUTDOOR PORCELAIN



08 Faces

Antracita



Bianco



Crema



Pearl





Magna Crema



Magna Pearl



Roche

20mm OUTDOOR PORCELAIN



Crema **Grey** **Nero** **Silver**





Roche Crema



Roche Grey

Rioja Stone Mud

Available Sizes

60x60cm 60x90cm 60x120cm

Thickness

20mm

Surface

R11

Rioja Stone

20mm OUTDOOR PORCELAIN



Antracite



Bianco



Grey



Mud



Pearl





Rioja Stone Mud



Rioja Stone Grey

Elora Crema

Available Sizes

60x60cm 60x90cm 60x120cm

Thickness

20mm

Surface

R11

Elora

20mm OUTDOOR PORCELAIN



08
Faces

Antracite Crema Greige Nuance Tierra





Elora Crema



Elora Nuance

Leron Beige

Available Sizes

60x60cm 60x90cm 60x120cm

Thickness

20mm

Surface

R11

Leron

20mm OUTDOOR PORCELAIN



16 Faces

Beige



Grey



Natural





Leron Grey



Leron Beige

Sarod Natural

Available Sizes

60x60cm 60x90cm 60x120cm

Thickness

20mm

Surface

R11

Sarod

20mm OUTDOOR PORCELAIN



Light Grey



Natural



Pearl





Sarod Natural



Sarod Pearl

Troy Crema

Available Sizes

60x60cm 60x90cm 60x120cm

Thickness

20mm

Surface

R11

Troy Crema

20mm OUTDOOR PORCELAIN



08 Faces



Earth Core

Available Sizes

60x60cm 60x90cm 60x120cm

Thickness

20mm

Surface

R11

Earth Core

20mm OUTDOOR PORCELAIN



05
Faces





Available Sizes

60x60cm 60x90cm 60x120cm

Thickness

20mm

Surface

R11

Triton

20mm OUTDOOR PORCELAIN



08 Faces

Bianco



Grey



Natural



Triton Bianco

Triton Grey

Noch Silver

Available Sizes

60x60cm 60x90cm 60x120cm

Thickness

20mm

Surface

R11

Noch

20 mm OUTDOOR PORCELAIN



08 Faces

Bianco



Crema



Natural



Silver





Noch Bianco



Noch Silver



Temo

20 mm OUTDOOR PORCELAIN



Brown



Crema



Iron



Light Grey





Temo Iron



Temo Crema

Noor Satuario

Available Sizes

60x60cm 60x90cm 60x120cm

Thickness

20mm

Surface

R11

Noor Satuario

20mm OUTDOOR PORCELAIN



22 Faces



Greylac Gold

Available Sizes

60x60cm 60x90cm 60x120cm

Thickness

20mm

Surface

R11

Greylac Gold

20mm OUTDOOR PORCELAIN



12 Faces



Latina Avorio

Available Sizes

60x60cm 60x90cm 60x120cm

20x120cm 30x120cm

Thickness

20mm

Surface

R11

Latina

20mm OUTDOOR PORCELAIN



09 Faces

Avorio



Honey



Beige





Latina Honey



Latina Avorio

Basla Avrio

Available Sizes

60x60cm 60x90cm 60x120cm

Thickness

20mm

Surface

R11

Basla

20mm OUTDOOR PORCELAIN



08
Faces

Avario



Beige



Tortora





Basla Avario



Basla Tortora



GLAZED PORCELAIN TILES :
20MM THICK OUTDOOR TILES

NORMS	TECHNICAL CHARACTERISTICS		REQUIRED VALUES	DECLARED VALUES
EN ISO 10545-2	Dimensions & Surface Quality	Length & Width	% +/- 0,6 (+/- 2.0 mm)	% +/- 0.40
		Thickness	% +/- 5 (+/- 0.5 mm)	% +/- 5 (+/- 0.5 mm)
		Straightness Of Sides	% +/- 0.5 (+/- 1.5 mm)	% +/- 0.30
		Rectangularity	% +/- 0.5 (+/- 2.0 mm)	% +/- 0.30
		Centre - Edge Curvature-warpage	% +/- 0.5 (+/- 2.0 mm)	% + 0.20 / - 0.10
		Surface Quality	95%	95%
EN ISO 10545-3	Water Absorption %		≤ % 0.10 Individual Max. 0.6%	≤ % 0.10
EN ISO 10545-4	Breaking Strength (N)	Thickness : 20mm	Min 1300 N	Min 10000 N
	Modulus of Rupture (n/mm2)		Min: 35 N/mm2	Min: 45 N/mm2
EN ISO 10545-5	Impact Resistance As, Coefficient of Restitution (COR)		(Declared Value)	Required
EN ISO 10545-7	Abrasion Resistance		Abrasion Class & Cycles Passed	Abrasion Class & Cycles Passed (2 - 5 Class)
EN ISO 10545-8	Linear Thermal Expansion		Declared Value	6.00 $x10^{-6}$/7.50 $x10^{-6}$
EN ISO 10545-9	Thermal Shock Resistance		Required	Required
EN ISO 10545-10	Moisture Expansion		Declared Value	Declared Value
EN ISO 10545-11	Crazing Resistance		Required	Required
EN ISO 10545-12	Frost Resistance		Required	Required
EN ISO 10545-13	Resistance to Low Concentrations of Acids & Alkalis		Declared Value	LA/LB (Required)
	Resistance to High Concentrations of Acids & Alkalis		Declared Value	HA/HB (Required)
	Resistance to Household Chemicals & Swimming Pool Salts		Min:B	A/B (Required)
EN ISO 10545-14	Resistance To Staining		Min Class 3	Min: 3 Class 3
EN ISO 10545-15	Release of Dangerous Substances Lead - Cadmium		Declared Value	Pb:< 0,1 Cd:< 0,01
DIN 51130-51097 CEN/TS 16165	Slipperiness		Declared Value	R.9 - R.10 - R.11 -R.12 Class:A-B-C
EN 12004:2007+A1:2012,4,1	Bond Strength / Adhesion	Cementitious Adhesives	Declared Value	≥ 0.5 Tip C2
EN 12004:2007+A1:2012,4,2		Cementitious Adhesives	Declared Value	
EN 12004:2007+A1:2012,4,3		Reaction Resin Adhesives	Declared Value	
	Mortar		Declared Value	
------	Reaction to Fire		A1 or A1 FL	A1 or A1 FL
CEN/TS15209	Tactility		Declare Surface Description	Declare Surface Description

LAVISH®
CERAMICS

LAVISH GRANITO PVT. LTD.
Halvad Road, At. Unchi Mandal, Dist. Morbi - 363 642 (Gujarat) India.

Cell : +91 99099 80082 | +91 99099 87126

E-mail : export@lavishceramics.com | inquiry@lavishceramics.com

Web : www.lavishceramics.com