LAVISH CERAMICS
8-A, National Highway, Lakhdhirpur Road,
Nr. Antique Granito Ltd. Morbi-363 642 (Guj.) INDIA.
Tele. :+91-2822-292 070, Fax :+91-2822-292 071

info@lavishceramics.com | lavishceramics@gmail.com
www.lavishceramics.com

natural
stone
WALL TILES

LAVISH
CERAMIC

LAVISH
CERAMIC

HIGHLY PREMIUM WALL TILES | 60x30 cm. | 45x30 cm.

what we are ?

That which is unique is always rare and special, so is with the finesse of Lavish tiles. Lavish is synonymous with excellent quality tiles that define the beauty of a well tiled space. One of the largest manufacturer and exporter of ceramic wall and floor, multi charge vitrified tiles, polished vitrified tiles, glazed vitrified tiles and digital tiles, Lavish is famous for adding that sense of grandeur and splendor through sheer product quality.

Since more than two decades Lavish group is renowned for the production of tiles that provide finesse, style and quality. Our supreme quality is a result of leading edge 21st century production process that includes high end machinery, quality control process, research and development as well as automation.

Based in Morbi, a town known as the Paris of India given it is the largest production of tiles in the country, Lavish is identified as a benchmark for innovation. Accompanied by ISO 9001 certified methods of production that provide quality, Lavish Group is also known as one of the largest producers of tiles in India.

Amazing quality ambiance with a blend of Italian, Spanish and high end machinery as well as technological excellence and expertise is reflected in the well designed quality tiles that make our identity. A brand that is famous for being one of the largest manufacturer and exporter of leading wall, vitrified, floor and porcelain tiles, a wide range of our tiles are applied in for office, bathroom, kitchen or living room.

We welcome you to explore our website and products further.

Vision
Innovation is a forte and a driving force as it empowers us to consistently create excellent quality tiles. We aspire to be the largest producer and exporter of quality tiles in the industry renowned for innovation.
Our Mission

Mission
For a product, true success comes when it is identified as a brand by people. Lavish is that brand for many and we aspire to become one of the most favorite brands through innovation and dedication.

As we aspire to be one of the greatest brands of the world, we believe in rising together. We dream big as a team and ours are collective dreams as we want our employees to have a sense of fulfillment and purpose for them to feel truly connected to the meaningful part of our lives.

One of our goals is to create an eco-friendly model of production to build a prototype for the rest of our units to follow.

Tiles shown in this visual are 40028 L, 40028 D, 40028 H1

Tiles shown in this visual are 40031 L, 40031 D, 40031 H1

rivestimento WALL TILES

A succession of shapes,
full and empty alternating, saturated colours,
A constantly shifting point of view
embraces a space with changing geometry.

Tiles shown in this visual are 30034

60x30cm.
24"x12"

Tiles shown in this visual are 40023 L, 40023 D, 40023 P1

rivestimento WALL TILES

glazed sealed | easy to clean | stain resistant acrylic-free | low water absorption | UV resistant

HIGHLY PREMIUM WALL TILES | 60x30 cm.

A succession of shapes,
full and empty alternating,
saturated colours,
A constantly shifting point of view
embraces a space with
changing geometry.

Tiles shown in this visual are 40023 D

A succession of shapes,
full and empty alternating, saturated colours,
A constantly shifting point of view
embraces a space with changing geometry.

rivestimento WALL TILES

a succession of shapes,
full and empty alternating, saturated colours,
a constantly shifting point of view
embraces a space with changing geometry.



Tiles shown in this visual are 30024

HIGHLY PREMIUM WALL TILES | 60x30 cm.

Tiles shown in this visual are 30002

Tiles shown in this visual are 30010

Tiles shown in this visual are 40009 L, 40009 D

Tiles shown in this visual are 40017 L, 40017 D, 40017 P1

rivestimento WALL TILES

A succession of shapes,
full and empty alternating, saturated colours,
A constantly shifting point of view
embraces a space with changing geometry.



Tiles shown in this visual are 40032 L, 40032 D, 40032 P1

60x30cm.
24"x12"

Tiles shown in this visual are 40010 L, 40010 D, 40010 P2

rivestimento WALL TILES

glazed sealed | easy to clean | stain resistant scratch free | low water absorption | UV resistant

HIGHLY PREMIUM WALL TILES | 60x30 cm.

A succession of shapes,
full and empty alternating,
saturated colours,
A constantly shifting point of view
embraces a space with
changing geometry.

Tiles shown in this visual are 40018 L, 40018 D, 40018 P2



60x30cm.
24"x12"

A succession of shapes,
full and empty alternating, saturated colours,
A constantly shifting point of view
embraces a space with changing geometry.

glazed - coated | easy to clean | scratch resistant | low water absorption | suitable for outdoors

A succession of shapes,
full and empty alternating, saturated colours,
A constantly shifting point of view
embraces a space with changing geometry.

rivestimento WALL TILES

a succession of shapes,
full and empty alternating, saturated colours,
a constantly shifting point of view
embraces a space with changing geometry.

Tiles shown in this visual are 40037 L, 40037 D, 40037 H1

HIGHLY PREMIUM WALL TILES | 60x30 cm.

Tiles shown in this visual are 40022 L, 40022 D, 40022 P3

Tiles shown in this visual are 870 H

Wall 60x30 cm.

40010 L
40010 P2
40010 P3
40010 D

Wall 60x30 cm.

40013 L
40013 H1 A
40013 H1 B
40013 D

Wall 60x30 cm.

40017 L
40017 P1
40017 H2
40017 D

60x30cm.
24"x12"

Wall 60x30 cm.

40022 L
40022 P2
40022 P3
40022 D

Wall 60x30 cm.

40028 L
40028 P2
40028 H1
40028 D



Wall 60x30 cm.

40002 L
40002 P1
40002 D

Wall 60x30 cm.

40018 L
40018 P2
40018 D

Wall 60x30 cm.

40023 L
40023 P1
40023 D

Wall 60x30 cm.

40025 L
40025 P1
40025 D

60x30cm.
24"x12"

Wall 60x30 cm.

40031 L
40031 H1
40031 D

Wall 60x30 cm.

40032 L
40032 P1
40032 D

Wall 60x30 cm.

40037 L
40037 H1
40037 D

Wall 60x30 cm.

40001 L
40001 D



Wall 60x30 cm.

40009 L
40009 D

Wall 60x30 cm.

40033 D (RANDOM)

60x30cm.
24"x12"

Wall 60x30 cm.
30034

Wall 60x30 cm.
30026

Wall 60x30 cm.
30009

Wall 60x30 cm.
30015

Wall 60x30 cm.
30027

Wall 60x30 cm.
30010

Wall 60x30 cm.
30019

Wall 60x30 cm.
30011

Wall 60x30 cm.
30035

Wall 60x30 cm.
30001

Wall 60x30 cm.
30024

Wall 60x30 cm.
30022

Wall 60x30 cm.
30002

Wall 60x30 cm.
30029

Wall 60x30 cm.
30046

Wall 60x30 cm.
30032

Wall 60x30 cm.
30014

60x30cm.
24"x12"

rivestimento

real stone

WALL TILES

LAVISH CERAMIC

HIGHLY PREMIUM WALL TILES | 45x30 cm.

18"x12"



Tiles shown in this visual are 7050

HIGHLY PREMIUM WALL TILES | 45x30 cm.

rivestimento WALL TILES

glazed sealed | easy to clean | stain resistant scratch free | low water absorption | UV resistant

45x30cm.
18"x12"

A succession of shapes,
full and empty alternating,
saturated colours,
A constantly shifting point of view
embraces a space with
changing geometry.

Tiles shown in this visual are 7009

Tiles shown in this visual are 7201

Tiles shown in this visual are 7203

rivestimento WALL TILES

A succession of shapes,
full and empty alternating, saturated colours,
A constantly shifting point of view
embraces a space with changing geometry.

45x30cm.
18"x12"

Tiles shown in this visual are 7008

A succession of shapes,
full and empty alternating, saturated colours,
A constantly shifting point of view
embraces a space with changing geometry.

rivegilmeplo
WALL TILES

a succession of shapes,
full and empty alternating, saturated colours,
a constantly shifting point of view
embraces a space with changing geometry.

Tiles shown in this visual are 7038

HIGHLY PREMIUM WALL TILES | 45x30 cm.

45x30cm.
18"x12"

Tiles shown in this visual are 7205

Tiles shown in this visual are 7[illegible]

45x30cm.
18"x12"

A succession of shapes,
full and empty alternating, saturated colours,
A constantly shifting point of view
embraces a space with changing geometry.

rivestimento WALL TILES

A succession of shapes,
full and empty alternating, saturated colours,
A constantly shifting point of view
embraces a space with changing geometry.

45x30cm.
18"x12"

Wall 45x30 cm.
7001



Wall 45x30 cm.
7016

Wall 45x30 cm.
7018

Wall 45x30 cm.
7019

Wall 45x30 cm.
7009

Wall 45x30 cm.
7010

Wall 45x30 cm.
7007

Wall 45x30 cm.
7028

Wall 45x30 cm.
7011

Wall 45x30 cm.
7062

Wall 45x30 cm.
7015

Wall 45x30 cm.
7012

60x30cm.
24"x12"

Wall 45x30 cm.
7034

Wall 45x30 cm.
7040

Wall 45x30 cm.
7050

Wall 45x30 cm.
7063

Wall 45x30 cm.
7036

Wall 45x30 cm.
7037

Wall 45x30 cm.
7046

Wall 45x30 cm.
7048



Wall 45x30 cm.
7067

Wall 45x30 cm.
7068

Wall 45x30 cm.
7052

Wall 45x30 cm.
7054

Wall 45x30 cm.
7070

Wall 45x30 cm.
7203

Wall 45x30 cm.
7049

Wall 45x30 cm.
7059

Wall 45x30 cm.
7087

Wall 45x30 cm.
7088

Wall 45x30 cm.
7092

Wall 45x30 cm.
7098

Wall 45x30 cm.
7053

Wall 45x30 cm.
7205

Wall 45x30 cm.
7208

Wall 45x30 cm.
7209

rivestimento
WALL TILES

60x30cm.
24"x12"

Wall 45x30 cm.
7206

Wall 45x30 cm.
7207



Wall 45x30 cm.
7210



Wall 45x30 cm.
7211

Wall 45x30 cm.
7086

Wall 45x30 cm.
7082

Wall 45x30 cm.
7083

Wall 45x30 cm.
7099

Wall 45x30 cm.
7078

Wall 45x30 cm.
7079

Wall 45x30 cm.
7075

Wall 45x30 cm.
7076

Wall 45x30 cm.
7013

Wall 45x30 cm.
7073

Wall 45x30 cm.
7201

Wall 45x30 cm.
7202

Wall 45x30 cm.
7033

Wall 45x30 cm.
7038

Wall 45x30 cm.
7061

60x30cm.
60x45cm.

Technical Specifications

CHARACTERISTICS	EUROSTANDARDS EN-159/IS13753	LAVISH VALUE
DIMENSION & SURFACE QUALITY		
1. Dimension & Surface Quality	0.5%	0.4%
2. Deviation in Thickness	0.6mm	0.3mm
3. Straightness of Sides	0.3%	0.2%
4. Rectangularity	0.5%	0.3%
5. Surface Flatness	0.5%	0.3%
6. Surface Quality	Min. 95%	Min. 96%
PHYSICAL PROPERTIES		
1. Water Absorption	>10%	12-15 %
2. Bending Strength	>150 Kg./Cm².	150-180 Kg/Cm².
3. Scratch Hardness (mohs scale)	Min 3	Min 3
4. crazing Resistance	1 Cycle	No Crazing Upto 4 cycles
CHEMICAL PROPERTIES		
1. Staining Resistance	Min Class 2	Resistant To all Acids and Alkhalies & Household Chemicals, except Hydro Flouric Acid
2. Household Chemical	Min Class B	
THERMAL PROPERTIES		
1. Thermal Shock Resistance	Resistant 10 Cycles.	CONFORMS
2. Thermal Expansion	Max. 9E-06	CONFORMS

Packing Detail

Dimension in mm.	Thickness in mm.	Tiles per Box (Pcs.)	Area Coverage per box (Sq. Mtr.)	Area Weight per box (Kg.) Approx
600x300	9.00 (Approx.)	5	0.90	14.400
450x300	8.00 (Approx.)	6	0.81	11.800

NOTE : Centre amount of size and shade variation is inherent in all ceramic products. • Our conformity to the above standards is applicable only for premium Quality. • Colours shown are as accurate as the limitations of the printing process will allow. • Prospective customers are advised to request a sample of the tile before ordering. • Every effort has been made to ensure the accuracy of the information given. Nevertheless, the company reserves the right to change the specifications without prior notice. • Sometimes exceptions in shade or size being inherent to ceramic industry may occur. It is suggested to check the tiles before purchase and buying as the company does not accept responsibility once the tiles are laid

HIGHLY PREMIUM WALL TILES | 60x30 cm. | 60x45 cm.