

DESIGN THAT VISIBLE FOR ALL


Glossy SERIES

300x600mm



That which is unique is always rare and special, so is with the finesse of Lavish tiles. Lavish is synonymous with excellent quality tiles that define the beauty of a well tiled space. One of the largest manufacturer and exporter of ceramic tiles, wall tiles and floor tiles, double charge vitrified tiles, polished glazed vitrified tiles, glazed vitrified tiles and digital tiles, Lavish is famous for adding that sense of grandeur and splendor through sheer product quality.

Amazing quality ambiance with a blend of Italian, Spanish and high end machinery as well as technological excellence and expertise is reflected in the well designed quality tiles that make our identity. A brand that is famous for being one of the largest manufacturer and exporter of leading wall, vitrified, floor and porcelain tiles, a wide range of our tiles are applied in for office, bathroom, kitchen or living room.



IT IS
GEOMETRICALLY
PERFECT

GLOSSY SERIES

300x600mm

Give your space a touch of scintillating and shiny tiles. Enlighten your senses with the feel of our exceptionally remarkable tiles and bring your space the desired sheen it requires to make your ambience stand apart. This is surely one of those tiles you need to keep your hands on. Lavish strives for opulence over mediocrity in everything we formulate.

GLOSSY SERIES
300x600mm

LAVISH
WALL | VITRIFIED | DOUBLE CHARGE

3054



L



H1



32 ROUND WHITE



32-ROUND WHITE




H1



GLOSSY SERIES
300x600mm

LAVISH
WALL | VITRIFIED | DOUBLE CHARGE


PORCELANOSA WHITE



WHITE



H1



INDIGO WHITE



WHITE




H1



GLOSSY SERIES
300x600mm

LAVISH
WALL | VITRIFIED | DOUBLE CHARGE

WRAP WHITE



WHITE



H1




www.lavishceramics.com

R RANDOM 5 MM SPACE HD HIGH DEFINITION D DIGITAL

GLOSSY SERIES
300x600mm

LAVISH
WALL | VITRIFIED | DOUBLE CHARGE



KOREA STRIP WHITE



GALAXY-H1



36557



L



H1



GLOSSY SERIES
300x600mm

LAVISH
WALL | VITRIFIED | DOUBLE CHARGE

3505



L



D



GLOSSY SERIES
300x600mm

LAVISH
WALL | VITRIFIED | DOUBLE CHARGE


3001



L



H1




3022



L




H1



3561



H1



D



3552



L



D



3058



L



H1



3053



L



H1



H2



36803



L




H1



H2




18 CHEX WHITE



WHITE



H1



H2




CORAL WHITE




WHITE



H1



H2



36555




L




H1



K1



3566



L



H1



H2



50028



H1




H2



H3



3037



L



H1



H2



GLOSSY SERIES
300x600mm

LAVISH
WALL | VITRIFIED | DOUBLE CHARGE

3017



L




H1



D



3042



L



H1



D



3560



L



H2



D



3560



L




H3



D



3021



L



H1



D



3503




L



H1



D



3537



L



H1



D



3536



L




H1



D



10110



L




H1




D



BC-368




L



H1



H2



3516



L



H1



H2



D



3036



L



H1



D



3035



L



H1




H2



H3



3552



L



H2



H3



D



3577



L



H1



H3



D




3055



L



H1



H2



D




3056



L



H1




H2



D




50008



L



K1



50009



50010



3551



L



H1



H2



D



3567



L



H1



H2



D



36568



L



H1



H2



H3



3049



L



H1



H2



D



50026




H4



K1



3052



L




K1



K2



36556



L



H1



K1



Technical Specifications

CHARACTERISTICS	EURO STANDARDS EN - 159/IS 13753	LAVISH VALUE
DIMENSION & SURFACE QUALITY		
1) Dimension & Surface Quality	0.5%	0.4%
2) Deviation in Thickness	0.6mm	0.3 mm
3) Straightness of sides	0.3%	0.2%
4) Rectangularity	0.5%	0.3%
5) Surface Flatness	0.5%	0.3%
6) Surface Quality	Min.95%	Min.96%
PHYSICAL PROPERTIES		
1) Water Absorption	> 10%	12-15%
2) Bending Strength	> 150 kg./cm2	150-180 kg./cm2
3) Scratch hardness (Mohs scale)	Min 3	Min 3
4) Crazing Resistance	1 Cycles	No Crazing at 4 Cycles
CHEMICAL PROPERTIES		
1) Staining Resistance	Min Class 2	Resistance to all Acids & Alkalies & Household Chemicals, except Hydro Flouric Acid
2) Household Chemical	Min Class B	
THERMAL PROPERTIES		
1) Thermal Shock	Resistant to 10 Cycles	CONFORMS
2) Thermal Expansion	Max. 9E-06	CONFORMS



LAVISH CERANICS

8-A, National Highway, Lakhirpur Road, Nr. Antique Granito ild., Morbi-363642 (Guj.) INDIA.
+91 99099 48650 | +91 2822-292 070 | info@lavishceramics.com | www.lavishceramics.com