



CRAFTING LEGACY

PQVT


COLLECTION



TURNING SPACES INTO SUCCESS STORIES **SINCE 1999**

At Lavish, we combine innovation, craftsmanship, and strict quality standards to produce exceptional ceramic tiles. Recognized globally and backed by certifications like ISO 9001:2015, ISO 14025:2006, CE, and UK CA, we've become a trusted name in over 85 countries. Our unique designs and dedication to perfection set us apart as true artisans in the tile industry.

BUILT ON THE FOUNDATION OF



WALL & FLOOR TILES

Craftsmanship is also at the heart of our brand! In a way, we don't consider ourselves manufacturers but we see ourselves as a team of skilled artisans who take great care in crafting beautiful surfaces that are unmatched, unparalleled, and unrivaled! The uniqueness of our product is reflected in our designs, colors, sizes, and finishes which are exclusive to us and different by all means! In short, "We are a breath of fresh air in a sea of sameness"!

Glazed Porcelain Tiles
30x60 | 60x60 | 80x80
60x120 | 80x160 | 100x100
120x120 | 120x180cm

Wooden Tiles
10x60cm | 20x120 | 30x120
20x160 | 26x160cm

Architectural Surfaces
30x120cm

Ceramic Wall Tiles
25x40 | 30x60cm
Subway Tiles

Double Charged Tiles
60x60 | 60x120cm

Fullbody
60x60 | 60x120cm

Outdoor Tiles
30x30 | 30x60 | 60x60 | 60x90
60x120 | 20x120 | 30x120cm

Thickness
07mm | 08mm | 09mm
12mm | 20mm



POLISHED COLLECTION

30x60 | 60x60 | 80x80 | 60x120 | 80x160 | 100x100 | 120x120 | 120x180 (in cm)

SIGNATURE
LIVING


From timeless and traditional to trendy and bold, Our perfectly polished tiles will impart a unique look and functionality to your space, especially your most lived-in spaces.

Bianco

Bellissimo

FINISH : POLISHED

SIZE : 60x120cm



AVAILABLE SIZES IN CM

30x60 | 60x60 | 80x80 | 60x120
80x160 | 100x100 | 120x120 | 120x180





Bianco

RIACORDO

dal 1980 al 1989

1980	1981	1982	1983	1984	1985	1986	1987	1988	1989
1.1.1980	1.1.1981	1.1.1982	1.1.1983	1.1.1984	1.1.1985	1.1.1986	1.1.1987	1.1.1988	1.1.1989
2.1.1980	2.1.1981	2.1.1982	2.1.1983	2.1.1984	2.1.1985	2.1.1986	2.1.1987	2.1.1988	2.1.1989
3.1.1980	3.1.1981	3.1.1982	3.1.1983	3.1.1984	3.1.1985	3.1.1986	3.1.1987	3.1.1988	3.1.1989
4.1.1980	4.1.1981	4.1.1982	4.1.1983	4.1.1984	4.1.1985	4.1.1986	4.1.1987	4.1.1988	4.1.1989
5.1.1980	5.1.1981	5.1.1982	5.1.1983	5.1.1984	5.1.1985	5.1.1986	5.1.1987	5.1.1988	5.1.1989
6.1.1980	6.1.1981	6.1.1982	6.1.1983	6.1.1984	6.1.1985	6.1.1986	6.1.1987	6.1.1988	6.1.1989
7.1.1980	7.1.1981	7.1.1982	7.1.1983	7.1.1984	7.1.1985	7.1.1986	7.1.1987	7.1.1988	7.1.1989
8.1.1980	8.1.1981	8.1.1982	8.1.1983	8.1.1984	8.1.1985	8.1.1986	8.1.1987	8.1.1988	8.1.1989
9.1.1980	9.1.1981	9.1.1982	9.1.1983	9.1.1984	9.1.1985	9.1.1986	9.1.1987	9.1.1988	9.1.1989
10.1.1980	10.1.1981	10.1.1982	10.1.1983	10.1.1984	10.1.1985	10.1.1986	10.1.1987	10.1.1988	10.1.1989
11.1.1980	11.1.1981	11.1.1982	11.1.1983	11.1.1984	11.1.1985	11.1.1986	11.1.1987	11.1.1988	11.1.1989
12.1.1980	12.1.1981	12.1.1982	12.1.1983	12.1.1984	12.1.1985	12.1.1986	12.1.1987	12.1.1988	12.1.1989
13.1.1980	13.1.1981	13.1.1982	13.1.1983	13.1.1984	13.1.1985	13.1.1986	13.1.1987	13.1.1988	13.1.1989
14.1.1980	14.1.1981	14.1.1982	14.1.1983	14.1.1984	14.1.1985	14.1.1986	14.1.1987	14.1.1988	14.1.1989
15.1.1980	15.1.1981	15.1.1982	15.1.1983	15.1.1984	15.1.1985	15.1.1986	15.1.1987	15.1.1988	15.1.1989
16.1.1980	16.1.1981	16.1.1982	16.1.1983	16.1.1984	16.1.1985	16.1.1986	16.1.1987	16.1.1988	16.1.1989
17.1.1980	17.1.1981	17.1.1982	17.1.1983	17.1.1984	17.1.1985	17.1.1986	17.1.1987	17.1.1988	17.1.1989
18.1.1980	18.1.1981	18.1.1982	18.1.1983	18.1.1984	18.1.1985	18.1.1986	18.1.1987	18.1.1988	18.1.1989
19.1.1980	19.1.1981	19.1.1982	19.1.1983	19.1.1984	19.1.1985	19.1.1986	19.1.1987	19.1.1988	19.1.1989
20.1.1980	20.1.1981	20.1.1982	20.1.1983	20.1.1984	20.1.1985	20.1.1986	20.1.1987	20.1.1988	20.1.1989
21.1.1980	21.1.1981	21.1.1982	21.1.1983	21.1.1984	21.1.1985	21.1.1986	21.1.1987	21.1.1988	21.1.1989
22.1.1980	22.1.1981	22.1.1982	22.1.1983	22.1.1984	22.1.1985	22.1.1986	22.1.1987	22.1.1988	22.1.1989
23.1.1980	23.1.1981	23.1.1982	23.1.1983	23.1.1984	23.1.1985	23.1.1986	23.1.1987	23.1.1988	23.1.1989
24.1.1980	24.1.1981	24.1.1982	24.1.1983	24.1.1984	24.1.1985	24.1.1986	24.1.1987	24.1.1988	24.1.1989
25.1.1980	25.1.1981	25.1.1982	25.1.1983	25.1.1984	25.1.1985	25.1.1986	25.1.1987	25.1.1988	25.1.1989
26.1.1980	26.1.1981	26.1.1982	26.1.1983	26.1.1984	26.1.1985	26.1.1986	26.1.1987	26.1.1988	26.1.1989
27.1.1980	27.1.1981	27.1.1982	27.1.1983	27.1.1984	27.1.1985	27.1.1986	27.1.1987	27.1.1988	27.1.1989
28.1.1980	28.1.1981	28.1.1982	28.1.1983	28.1.1984	28.1.1985	28.1.1986	28.1.1987	28.1.1988	28.1.1989
29.1.1980	29.1.1981	29.1.1982	29.1.1983	29.1.1984	29.1.1985	29.1.1986	29.1.1987	29.1.1988	29.1.1989
30.1.1980	30.1.1981	30.1.1982	30.1.1983	30.1.1984	30.1.1985	30.1.1986	30.1.1987	30.1.1988	30.1.1989
31.1.1980	31.1.1981	31.1.1982	31.1.1983	31.1.1984	31.1.1985	31.1.1986	31.1.1987	31.1.1988	31.1.1989

CooMierce

Kassa	Time	Order	Rice Scat
00	198	8601807	416 8110710
18	08	0A8184	541 081508
37	10	W1601010	087 0881810
46	26	S19007	072 081167
39	70	117870	817 081720
18	78	448478	447 081757
00	10	865768	411 861118
18	08	4888	884 081538

MAS8NOOM

←

2011

88888

tel. 108

↑ ✈ Departures

→ ✈ Arrivals



Silver

Bianco

Silver

Grey



Bellissimo

POLISHED
60x120cm

Sand

AVAILABLE SIZES
IN CM

30x60 | 60x60 | 80x80
60x120 | 80x160 | 100x100
120x120 | 120x180



CHARACTERISTIC	STANDARD AS PER ISO-13006 / En14411 GROUP Bla	LAVISH VALUE	TEST METHOD
REGULATORY PROPERTIES			
Deviation in length & width	± 0.5%	± 0.3%	ISO-10545-2
Deviation in thickness	±5%	± 4.0%	ISO-10545-2
Straightness in side	± 0.5%	± 0.1%	ISO-10545-2
Rectangularity	± 0.5%	± 0.1%	ISO-10545-2
Surface flatness	± 0.5%	± 0.2%	ISO-10545-2
Color difference	Unlterned	No change	ISO-10545-16
Glossiness	As per mfg.	Min 90 %	GLOSSO METER
STRUCTURAL PROPERTIES			
Water absorption	< 0.50%	< 0.05%	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES			
Modulus of repture	Min. 35 N/mm ²	Min. 40 N/mm ²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 1800 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES			
Resistance to surface abrasion (PEI RATING)	As per mfg.	Min. Class-3	ISO-10545-7
MOH's hardness	As per mfg.	Min. 5	EN 101
THERMO HYGROMETRIC PROPERTIES			
Frost resistance	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	ISO-10545-9
Moisture expansion	Nill	Nill	ISO-10545-10
Thermal expansion(COE)	Max. 9.0x10 ⁻⁶	Max. 6.5x10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES			
Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Min. Class 3	Class 5	ISO-10545-14
SAFETY PROPERTIES			
Slip resistance	As per mfg.	> 0.40	ISO-10545-17
Fire resistance	As per mfg.	Fireproof	N.A.
Lead & Cafmium given off by glazes tiles	As per mfg.	Does not yield Pb & Cd	ISO-10545-15

PACKING DETAILS

Size	30x60 CM	60x60 CM	80x80 CM	60x120 CM	80x160 CM	100x100 CM	120x120 CM	120x180 CM
Pieces / Box	05 Pcs.	04 Pcs.	02 Pcs.	02 Pcs.	02 Pcs.	02 Pcs.	02 Pcs.	02 Pcs.
Area / Box	0.9 sq. mtr.	1.44 sq. mtr.	1.28 sq. mtr.	1.44 sq. mtr.	2.56 sq. mtr.	2.00 sq. mtr.	2.88 sq. mtr.	4.32 sq. mtr.
Weight / Box (approx*)	17.5 kg	27 kg	26 kg	29 kg	52 kg	40 kg	58 kg	90 kg



LAVISH GRANITO PVT. LTD.

Halvad Road, At. Unchi Mandal, Dist. Morbi - 363 642 (Gujarat) India.

Cell : +91 99099 80082 | +91 99099 87126

E-mail : export@lavishceramics.com | inquiry@lavishceramics.com

Web : www.lavishceramics.com